

CERTIFICATE


TÜV NORD CERT GmbH
herewith declares that

Shanghai JA Solar Technology Co., Ltd.
No. 118, Lane 3111, West Huangcheng Road
Fengxian District, Shanghai, 201401
P.R. China

is authorized to provide the product mentioned below with the mark as illustrated:

Description of product (details see Annex 2):

PV Modules with 5" Mono-crystalline Silicon Solar Cells
PV Modules with 6" Mono-crystalline Silicon Solar Cells
PV Modules with half-cut 6" Mono-crystalline Silicon Solar Cells
PV Modules with half-cut 7" Mono-crystalline Silicon Solar Cells
PV Modules with half-cut 6" Poly-crystalline Silicon Solar Cells
PV Modules with 6" Poly-crystalline Silicon Solar Cells
PV Modules with half-cut 6" Poly-crystalline Silicon Solar Cells



Valid from: 2021-04-16

Valid until: 2026-04-16

Tested according to: P12.4-AA-08 Rev. 01 (IEC 61701:2020 modified)
Remark: Test Method 6
Test duration: 1440 hours
Registered No.: 44 780 21 406749 - 051
Manufacturer: see Annex 1
Test Report No.: 492011627.001
File No.: PVP11073/20P-02



TÜV NORD CERT GmbH
Certification Body
Consumer Products



Essen, 2021-04-16

Please also pay attention to the information stated overleaf.

Manufacturer:

Manufacturer 1:	Shanghai JA Solar Technology Co., Ltd. No. 118, Lane 3111, West Huancheng Road, Fengxian District Shanghai 201401, P.R. China
Factory inspection report no.:	862010153.008
Manufacturer 2:	Hefei JA Solar Technology Co., Ltd. No. 999, Chang Ning Road, Hi-tech Zone, Hefei 230088, P.R. China
Factory inspection report no.:	862010241.007
Manufacturer 3:	JA Solar Co., Ltd. Jinglong Street, Ningjin County, 055550 Xingtai, Hebei, P.R. China
Factory inspection report no.:	862010244.007
Manufacturer 4:	JA Solar (Xingtai) Co., Ltd. No. 1688, Chang An Road, Xingtai Economic Development Area Xingtai City, Hebei Province, 054001, P.R. China
Factory inspection report no.:	862010290.005
Manufacturer 5:	Vina Solar Technology Co., Ltd. E12 factory, lot CN-03, Van Trung Industrial park 21000 Bac Giang Province, Vietnam
Factory inspection report no.:	862010302.004
Manufacturer 6:	Philadelphia Solar LTD. CO Al Qastal Industrial Area, Air freight Road, 11814 Amman, Jordan
Factory inspection report no.:	862010431.002



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Manufacturer 7 : **JA Solar New Energy Yangzhou Co., Ltd.**
No.1, Jianhua Road, Economic Development Zone
Yangzhou, Jiangsu Province, 225000, P.R. China

Factory inspection report no.: 862010496.001

Manufacturer 8 : **Yiwu JA Solar Technology Co., Ltd.**
165 Tongze Road, Yiting Town, Yiwu City,
Zhejiang Province, 322000, P.R. China.

Factory inspection report no.: 862010513.001

Remark:

Factory inspection is mandatory to be performed annually. Please refer to factory inspection report for detailed information.



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Description of product(s):**System voltage: 1000V**

Module types:

PV Modules with 6" Mono-crystalline Silicon Solar Cells:

- 72 cells: JAM6(L)-72- xxx (xxx=295-335, in steps of 5)
- 72 cells: JAM6-72- xxx/SI (xxx=285-325, in steps of 5)
- 72 cells: JAM6(R)-72-xxx (xxx=295-340, in steps of 5)
- 72 cells: JAM6(R)-72-xxx/PR (xxx=330-350, in steps of 5)
- 72 cells: JAM6-72-xxx/PR (xxx=325-345, in steps of 5)
- 72 cells: JAM6(L)-72-xxx/PR (xxx=325-345, in steps of 5)
- 72 cells: JAM6(K)-72-xxx/4BB (xxx=320-345, in steps of 5)
- 72 cells: JAM6(K)-72-xxx/PR (xxx=325-370, in steps of 5)
- 72 cells: JAM72S02-xxx/PR (xxx=325-390, in steps of 5)
- 72 cells: JAM72S01-xxx/PR/1000V (xxx=345-390, in steps of 5)
- 72 cells: JAM72S01-xxx/SC/1000V (xxx=320-365, in steps of 5)
- 72 cells: JAM72S01-xxx/MR/1000V (xxx=365-385, in steps of 5)
- 72 cells: JAM72S09-xxx/PR/1000V (xxx=370-405, in steps of 5)
- 72 cells: JAM72S09-xxx/BP/1000V (xxx=375-385, in steps of 5)
- 72 cells: JAM72S02-xxx/PR/1000V (xxx=345-390, in steps of 5)
- 72 cells: JAM72S02-xxx/SC/1000V (xxx=320-365, in steps of 5)
- 72 cells: JAM72S02-xxx/MR/1000V (xxx=365-385, in steps of 5)
- 72 cells: JAM72S12-xxx/PR/1000V (xxx=365-385, in steps of 5)
- 60 cells: JAM6(L)-60-xxx (xxx=255-280, in steps of 5)
- 60 cells: JAM6-60-xxx/SI (xxx=235-280, in steps of 5)
- 60 cells: JAM6(FA)-60-xxx/SI (xxx=255-275, in steps of 5)
- 60 cells: JAM6(R)(FA)-60-xxx (xxx=260-280, in steps of 5)
- 60 cells: JAM6(R)-60-xxx (xxx=255-280, in steps of 5)
- 60 cells: JAM6(R)-60-xxx/PR (xxx=280-300, in steps of 5)
- 60 cells: JAM6-60-xxx/PR (xxx=275-295, in steps of 5)
- 60 cells: JAM6(L)-60-xxx/PR (xxx=270-295, in steps of 5)
- 60 cells: JAM6(K)-60-xxx/4BB (xxx=265-285, in steps of 5)
- 60 cells: JAM6(K)-60-xxx/PR (xxx=275-310, in steps of 5)
- 60 cells: JAM60S02-xxx/PR (xxx=280-325, in steps of 5)
- 60 cells: JAM60S01-xxx/PR/1000V (xxx=285-325, in steps of 5)
- 60 cells: JAM60S01-xxx/SC/1000V (xxx=265-305, in steps of 5)
- 60 cells: JAM60S01-xxx/MR/1000V (xxx=305-320, in steps of 5)
- 60 cells: JAM60S09-xxx/PR/1000V (xxx=310-335, in steps of 5)
- 60 cells: JAM60S09-xxx/BP/1000V (xxx=315-320, in steps of 5)
- 60 cells: JAM60S02-xxx/PR/1000V (xxx=285-325, in steps of 5)
- 60 cells: JAM60S02-xxx/SC/1000V (xxx=265-305, in steps of 5)
- 60 cells: JAM60S02-xxx/MR/1000V (xxx=305-320, in steps of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

60 cells: JAM60S12-xxx/PR/1000V (xxx=305-330, in steps of 5)
48 cells: JAM6(FA)-48-xxx/SI (xxx=205-220, in steps of 5)
48 cells: JAM6(R)(FA)-48-xxx (xxx=210-225, in steps of 5)
48 cells: JAM6(R)-48-xxx/PR (xxx=220-235, in steps of 5)
48 cells: JAM6-48-xxx/PR (xxx=215-235, in steps of 5)
48 cells: JAM6(L)-48-xxx/PR (xxx=215-235, in steps of 5)
48 cells: JAM6(K)-48xxx/4BB (xxx=210-225, in steps of 5)
48 cells: JAM6(K)-48-xxx/PR (xxx=220-235, in steps of 5)

Maximum system voltage: 1000V
Fuse rating: 20A
Application class: Class A
Electrical protection class: Class II

Module types:

PV Modules with 6" Mono-crystalline Silicon Solar Cells:

72 cells: JAM72S09-xxx/PR/1000V (xxx=370-405, in steps of 5)
72 cells: JAM72S12-xxx/PR/1000V (xxx=365-385, in steps of 5)
60 cells: JAM60S09-xxx/PR/1000V (xxx=310-335, in steps of 5)
60 cells: JAM60S12-xxx/PR/1000V (xxx=305-330, in steps of 5)

Maximum system voltage: 1000V
Fuse rating: 25A
Application class: Class A
Electrical protection class: Class II

Module types:

PV Modules with 5" Mono-crystalline Silicon Solar Cells:

72 cells: JAM5-72-xxx/SI (xxx=180-210, in steps of 5)
72 cells: JAM5(L)-72-xxx/SI (xxx=180-220, in steps of 5)
72 cells: JAM5(R)-72-xxx (xxx=195-220, in steps of 5)

Maximum system voltage: 1000V
Fuse rating: 10A
Application class: Class A
Electrical protection class: Class II

Module types:

PV Modules with half-cut 6" Mono-crystalline Silicon Solar Cells:

72 cells: JAM72S03-xxx/PR/1000V (xxx=360-395, in steps of 5)
72 cells: JAM72S10-xxx/PR/1000V (xxx=380-410, in steps of 5)
72 cells: JAM72S10-xxx/BP/1000V (xxx=385-400, in steps of 5)
72 cells: JAM72S10-xxx/MR/1000V (xxx=390-420, in steps of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

72 cells: JAM72S10-xxx/MB/1000V (xxx=395-415, in steps of 5)
72 cells: JAM72S08-xxx/PR/1000V (xxx=360-395, in steps of 5)
72 cells: JAM72S17-xxx/PR/1000V (xxx=380-390, in steps of 5)
72 cells: JAM72S17-xxx/MR/1000V (xxx=390-395, in steps of 5)
60 cells: JAM60S03-xxx/PR/1000V (xxx=300-330, in steps of 5)
60 cells: JAM60S10-xxx/PR/1000V (xxx=315-345, in steps of 5)
60 cells: JAM60S10-xxx/BP/1000V (xxx=320-330, in steps of 5)
60 cells: JAM60S10-xxx/MR/1000V (xxx=325-345, in steps of 5)
60 cells: JAM60S10-xxx/MB/1000V (xxx=330-345, in steps of 5)
60 cells: JAM60S20-xxx/MR/1000V (xxx=355-390, in steps of 5)
60 cells: JAM60S21-xxx/MR/1000V (xxx=355-375, in steps of 5)
60 cells: JAM60S08-xxx/PR/1000V (xxx=300-330, in steps of 5)
60 cells: JAM60S17-xxx/PR/1000V (xxx=315-325, in steps of 5)
60 cells: JAM60S17-xxx/MR/1000V (xxx=315-335, in steps of 5)
78 cells: JAM78S10-xxx/MR/1000V (xxx=435-465, in steps of 5)
66 cells: JAM66S10-xxx/MR/1000V (xxx=345-390, in steps of 5)

Maximum system voltage: 1000V
Fuse rating: 20A
Application class: Class A
Electrical protection class: Class II

Module types: **PV Modules with half-cut 6" Mono-crystalline Silicon Solar Cells:**

72 cells: JAM72S10-xxx/PR/1000V (xxx=380-410, in steps of 5)
72 cells: JAM72S20-xxx/MR/1000V (xxx=430-470, in steps of 5)
72 cells: JAM72S17-xxx/PR/1000V (xxx=380-390, in steps of 5)
72 cells: JAM72S20-xxx/MB/1000V (xxx=450-465, in steps of 5)
60 cells: JAM60S20-xxx/MR/1000V (xxx=355-390, in steps of 5)
60 cells: JAM60S21-xxx/MR/1000V (xxx=355-375, in steps of 5)
60 cells: JAM60S10-xxx/PR/1000V (xxx=315-345, in steps of 5)
60 cells: JAM60S17-xxx/PR/1000V (xxx=315-325, in steps of 5)
60 cells: JAM60S20-xxx/MB/1000V (xxx=375-390, in steps of 5)

Maximum system voltage: 1000V
Fuse rating: 25A
Application class: Class A
Electrical protection class: Class II



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Module types: PV Modules with half-cut 7" Mono-crystalline Silicon Solar Cells:

60 cells: JAM60S30-xxx/MR/1000V (xxx=435-460, in steps of 5)
66 cells: JAM66S30-xxx/MR/1000V (xxx=470-505, in steps of 5)
72 cells: JAM72S30-xxx/MR/1000V (xxx=510-550, in steps of 5)
54 cells: JAM54S30-xxx/MR/1000V (xxx=390-415, in steps of 5)
72 cells: JAM72S31-xxx/MR/1000V (xxx=510-545, in steps of 5)
66 cells: JAM66S31-xxx/MR/1000V (xxx=470-500, in steps of 5)
60 cells: JAM60S31-xxx/MR/1000V (xxx=425-450, in steps of 5)
54 cells: JAM54S31-xxx/MR/1000V (xxx=385-405, in steps of 5)

Maximum system voltage: 1000V

Fuse rating: 25A

Application class: Class A

Electrical protection class: Class II

Module types: PV Modules with 1/3-cut 8" Mono-crystalline Silicon Solar Cells:

50 cells: JAM50S40-xxx/MR/1000V (xxx=490-500, in steps of 5)

Maximum system voltage: 1000V

Fuse rating: 20A

Application class: Class A

Electrical protection class: Class II

Module types: PV Modules with 6" Poly-crystalline Silicon Solar Cells:

72 cells: JAP6-72-xxx/3BB (xxx=250-330, in steps of 5)
72 cells: JAP6-72-xxx/4BB (xxx=305-330, in steps of 5)
72 cells: JAP6-72-xxx/RE (xxx=305-330, in steps of 5)
72 cells: JAP6-72-xxx/4BB/RE (xxx=305-330, in steps of 5)
72 cells: JAP6(K)-72-xxx/4BB (xxx=310-330, in steps of 5)
72 cells: JAP72S01-xxx/SC/1000V (xxx=310-345, in steps of 5)
72 cells: JAP72S01-xxx/PR/1000V (xxx=330-345, in steps of 5)
72 cells: JAP72S09-xxx/SC/1000V (xxx=320-345, in steps of 5)
72 cells: JAP72S01-xxx/MS/1000V (xxx=325-340, in steps of 5)
72 cells: JAP72S02-xxx/SC/1000V (xxx=310-345, in steps of 5)
72 cells: JAP72S02-xxx/PR/1000V (xxx=330-345, in steps of 5)
60 cells: JAP6-60-xxx/3BB (xxx=240-275, in steps of 5)
60 cells: JAP6(FA)-60-xxx/3BB (xxx=250-270, in steps of 5)
60 cells: JAP6-60-xxx/4BB (xxx=250-275, in steps of 5)
60 cells: JAP6-60-xxx/RE (xxx=255-280, in steps of 5)
60 cells: JAP6-60-xxx/4BB/RE (xxx=255-280, in steps of 5)



TUV NORD CERT GmbH
Certification Body
Consumer Products

60 cells: JAP6(K)-60-xxx/4BB (xxx=255-275, in steps of 5)
60 cells: JAP60S01-xxx/SC/1000V (xxx=255-290, in steps of 5)
60 cells: JAP60S01-xxx/PR/1000V (xxx=275-285, in steps of 5)
60 cells: JAP60S09-xxx/SC/1000V (xxx=265-290, in steps of 5)
60 cells: JAP60S01-xxx/MS/1000V (xxx=270-280, in steps of 5)
60 cells: JAP60S02-xxx/SC/1000V (xxx=255-290, in steps of 5)
60 cells: JAP60S02-xxx/PR/1000V (xxx=275-285, in steps of 5)
54 cells: JAP54S01-xxx/SC (xxx=245-255, in steps of 5)
48 cells: JAP6(FA)-48-xxx/3BB (xxx=200-220, in steps of 5)
48 cells: JAP6-48-xxx/3BB (xxx=200-220, in steps of 5)

Maximum system voltage: 1000V
Fuse rating: 20A
Application class: Class A
Electrical protection class: Class II

Module types:

PV Modules with half-cut 6" Poly-crystalline Silicon Solar Cells:

72 cells: JAP72S03-xxx/SC/1000V (xxx=320-345, in steps of 5)
72 cells: JAP72S03-xxx/PR/1000V (xxx=335-355, in steps of 5)
72 cells: JAP72S10-xxx/SC/1000V (xxx=335-350, in steps of 5)
72 cells: JAP72S03-xxx/MS/1000V (xxx=320-345, in steps of 5)
72 cells: JAP72S08-xxx/SC/1000V (xxx=320-345, in steps of 5)
72 cells: JAP72S08-xxx/PR/1000V (xxx=335-355, in steps of 5)
60 cells: JAP60S03-xxx/SC/1000V (xxx=270-290, in steps of 5)
60 cells: JAP60S03-xxx/PR/1000V (xxx=280-295, in steps of 5)
60 cells: JAP60S10-xxx/SC/1000V (xxx=275-290, in steps of 5)
60 cells: JAP60S03-xxx/MS/1000V (xxx=270-285, in steps of 5)
60 cells: JAP60S08-xxx/SC/1000V (xxx=270-290, in steps of 5)
60 cells: JAP60S08-xxx/PR/1000V (xxx=280-295, in steps of 5)

Maximum system voltage: 1000V
Fuse rating: 20A
Application class: Class A
Electrical protection class: Class II



TÜV NORD CERT GmbH
Certification Body
Consumer Products

System voltage: 1500V

Module types:	PV Modules with 6" Mono-crystalline Silicon Solar Cells: 72 cells: JAM6(K)-72-xxx/PR/1500V (xxx=345-370, in steps of 5) 72 cells: JAM6(K)-72-xxx/4BB/1500V (xxx=320-345, in steps of 5) 72 cells: JAM72S01-xxx/PR (xxx=345-390, in steps of 5) 72 cells: JAM72S01-xxx/SC/1500V (xxx=320-365, in steps of 5) 72 cells: JAM72S01-xxx/MR/1500V (xxx=365-385, in steps of 5) 72 cells: JAM72S09-xxx/PR/1500V (xxx=370-405, in steps of 5) 72 cells: JAM72S09-xxx/BP/1500V (xxx=375-385, in steps of 5) 72 cells: JAM72S02-xxx/PR/1500V (xxx=345-390, in steps of 5) 72 cells: JAM72S02-xxx/SC/1500V (xxx=320-365, in steps of 5) 72 cells: JAM72S02-xxx/MR/1500V (xxx=365-385, in steps of 5) 72 cells: JAM72S12-xxx/PR/1500V (xxx=365-385, in steps of 5) 60 cells: JAM6(K)-60-xxx/PR/1500V (xxx=285-310, in steps of 5) 60 cells: JAM6(K)-60-xxx/4BB/1500V (xxx=265-285, in steps of 5) 60 cells: JAM60S01-xxx/PR/1500V (xxx=285-325, in steps of 5) 60 cells: JAM60S01-xxx/SC/1500V (xxx=265-305, in steps of 5) 60 cells: JAM60S01-xxx/MR/1500V (xxx=305-320, in steps of 5) 60 cells: JAM60S09-xxx/PR/1500V (xxx=310-335, in steps of 5) 60 cells: JAM60S09-xxx/BP/1500V (xxx=315-320, in steps of 5) 60 cells: JAM60S02-xxx/PR/1500V (xxx=285-325, in steps of 5) 60 cells: JAM60S02-xxx/SC/1500V (xxx=265-305, in steps of 5) 60 cells: JAM60S02-xxx/MR/1500V (xxx=305-320, in steps of 5) 60 cells: JAM60S12-xxx/PR/1500V (xxx=305-330, in steps of 5)
Maximum system voltage:	1500V
Fuse rating:	20A
Application class:	Class A
Electrical protection class:	Class II

Module types:	PV Modules with 6" Mono-crystalline Silicon Solar Cells: 72 cells: JAM72S09-xxx/PR/1500V (xxx=370-405, in steps of 5) 72 cells: JAM72S12-xxx/PR/1500V (xxx=365-385, in steps of 5) 60 cells: JAM60S09-xxx/PR/1500V (xxx=310-335, in steps of 5) 60 cells: JAM60S12-xxx/PR/1500V (xxx=305-330, in steps of 5)
Maximum system voltage:	1500V
Fuse rating:	25A
Application class:	Class A
Electrical protection class:	Class II



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Module types:

PV Modules with half-cut 6" Mono-crystalline Silicon Solar Cells:

72 cells: JAM72S03-xxx/PR/1500V (xxx=360-395, in steps of 5)
72 cells: JAM72S10-xxx/PR/1500V (xxx=380-410, in steps of 5)
72 cells: JAM72S10-xxx/BP/1500V (xxx=385-400, in steps of 5)
72 cells: JAM72S10-xxx/MR/1500V (xxx=390-420, in steps of 5)
72 cells: JAM72S10-xxx/MB/1500V (xxx=395-415, in steps of 5)
72 cells: JAM72S20-xxx/MR/1500V (xxx=430-470, in steps of 5)
72 cells: JAM72S08-xxx/PR/1500V (xxx=360-395, in steps of 5)
72 cells: JAM72S17-xxx/PR/1500V (xxx=380-390, in steps of 5)
72 cells: JAM72S17-xxx/MR/1500V (xxx=390-395, in steps of 5)
60 cells: JAM60S03-xxx/PR/1500V (xxx=300-330, in steps of 5)
60 cells: JAM60S10-xxx/PR/1500V (xxx=315-345, in steps of 5)
60 cells: JAM60S10-xxx/BP/1500V (xxx=320-330, in steps of 5)
60 cells: JAM60S10-xxx/MR/1500V (xxx=325-345, in steps of 5)
60 cells: JAM60S10-xxx/MB/1500V (xxx=330-345, in steps of 5)
60 cells: JAM60S20-xxx/MR/1500V (xxx=355-390, in steps of 5)
60 cells: JAM60S21-xxx/MR/1500V (xxx=355-375, in steps of 5)
60 cells: JAM60S08-xxx/PR/1500V (xxx=300-330, in steps of 5)
60 cells: JAM60S17-xxx/PR/1500V (xxx=315-325, in steps of 5)
60 cells: JAM60S17-xxx/MR/1500V (xxx=315-335, in steps of 5)
78 cells: JAM78S10-xxx/MR/1500V (xxx=435-465, in steps of 5)
66 cells: JAM66S10-xxx/MR/1500V (xxx=345-390, in steps of 5)

Maximum system voltage: 1500V

Fuse rating: 20A

Application class: Class A

Electrical protection class: Class II

Module types:

PV Modules with half-cut 6" Mono-crystalline Silicon Solar Cells:

72 cells: JAM72S10-xxx/PR/1500V (xxx=380-410, in steps of 5)
72 cells: JAM72S20-xxx/MR/1500V (xxx=430-470, in steps of 5)
72 cells: JAM72S17-xxx/PR/1500V (xxx=380-390, in steps of 5)
72 cells: JAM72S20-xxx/MB/1500V (xxx=450-465, in steps of 5)
60 cells: JAM60S20-xxx/MR/1500V (xxx=355-390, in steps of 5)
60 cells: JAM60S21-xxx/MR/1500V (xxx=355-375, in steps of 5)
60 cells: JAM60S10-xxx/PR/1500V (xxx=315-345, in steps of 5)
60 cells: JAM60S17-xxx/PR/1500V (xxx=315-325, in steps of 5)
60 cells: JAM60S20-xxx/MB/1500V (xxx=375-390, in steps of 5)

Maximum system voltage: 1500V



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Fuse rating: 25A
Application class: Class A
Electrical protection class: Class II

Module types: **PV Modules with half-cut 7" Mono-crystalline Silicon Solar Cells:**

72 cells: JAM72S30-xxx/MR/1500V (xxx=510-550, in steps of 5)
66 cells: JAM66S30-xxx/MR/1500V (xxx=470-505, in steps of 5)
60 cells: JAM60S30-xxx/MR/1500V (xxx=435-460, in steps of 5)
54 cells: JAM54S30-xxx/MR/1500V (xxx=390-415, in steps of 5)
72 cells: JAM72S31-xxx/MR/1500V (xxx=510-545, in steps of 5)
66 cells: JAM66S31-xxx/MR/1500V (xxx=470-500, in steps of 5)
60 cells: JAM60S31-xxx/MR/1500V (xxx=425-450, in steps of 5)
54 cells: JAM54S31-xxx/MR/1500V (xxx=385-405, in steps of 5)

Maximum system voltage: 1500V
Fuse rating: 25A
Application class: Class A
Electrical protection class: Class II

Module types: **PV Modules with 1/3-cut 8" Mono-crystalline Silicon Solar Cells:**

50 cells: JAM50S40-xxx/MR/1500V (xxx=490-500, in steps of 5)

Maximum system voltage: 1500V
Fuse rating: 20A
Application class: Class A
Electrical protection class: Class II

Module types: **PV Modules with 6" Poly-crystalline Silicon Solar Cells:**

72 cells: JAP6(K)-72-xxx/4BB/1500V (xxx=310-330, in steps of 5)
72 cells: JAP72S01-xxx/SC/1500V (xxx=310-345, in steps of 5)
72 cells: JAP72S01-xxx/PR/1500V (xxx=330-345, in steps of 5)
72 cells: JAP72S09-xxx/SC/1500V (xxx=320-345, in steps of 5)
72 cells: JAP72S01-xxx/MS/1500V (xxx=325-340, in steps of 5)
72 cells: JAP72S02-xxx/SC/1500V (xxx=310-345, in steps of 5)
72 cells: JAP72S02-xxx/PR/1500V (xxx=330-345, in steps of 5)
60 cells: JAP6(K)-60-xxx/4BB/1500V (xxx=255-275, in steps of 5)
60 cells: JAP60S01-xxx/SC/1500V (xxx=255-290, in steps of 5)
60 cells: JAP60S01-xxx/PR/1500V (xxx=275-285, in steps of 5)
60 cells: JAP60S09-xxx/SC/1500V (xxx=265-290, in steps of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

	60 cells: JAP60S01-xxx/MS/1500V (xxx=270-280, in steps of 5)
	60 cells: JAP60S02-xxx/SC/1500V (xxx=255-290, in steps of 5)
	60 cells: JAP60S02-xxx/PR/1500V (xxx=275-285, in steps of 5)
Maximum system voltage:	1500V
Fuse rating:	20A
Application class:	Class A
Electrical protection class:	Class II

Module types:

PV Modules with half-cut 6" Poly-crystalline Silicon Solar Cells:

	72 cells: JAP72S03-xxx/SC/1500V (xxx=320-345, in steps of 5)
	72 cells: JAP72S03-xxx/PR/1500V (xxx=335-355, in steps of 5)
	72 cells: JAP72S10-xxx/SC/1500V (xxx=335-350, in steps of 5)
	72 cells: JAP72S03-xxx/MS/1500V (xxx=320-345, in steps of 5)
	72 cells: JAP72S08-xxx/SC/1500V (xxx=320-345, in steps of 5)
	72 cells: JAP72S08-xxx/PR/1500V (xxx=335-355, in steps of 5)
	60 cells: JAP60S03-xxx/SC/1500V (xxx=270-290, in steps of 5)
	60 cells: JAP60S03-xxx/PR/1500V (xxx=280-295, in steps of 5)
	60 cells: JAP60S10-xxx/SC/1500V (xxx=275-290, in steps of 5)
	60 cells: JAP60S03-xxx/MS/1500V (xxx=270-285, in steps of 5)
	60 cells: JAP60S08-xxx/SC/1500V (xxx=270-290, in steps of 5)
	60 cells: JAP60S08-xxx/PR/1500V (xxx=280-295, in steps of 5)
Maximum system voltage:	1500V
Fuse rating:	20A
Application class:	Class A
Electrical protection class:	Class II



TÜV NORD CERT GmbH
Certification Body
Consumer Products

System voltage: 1000V or 1500V

Module types:

PV Modules with 6" Mono-crystalline Silicon Solar Cells:

72 cells: JAM72S01-xxx/SC (xxx=320-365, in steps of 5)

72 cells: JAM72S02-xxx/SC (xxx=320-365, in steps of 5)

72 cells: JAM72S02-xxx/PR (xxx=345-390, in steps of 5)

72 cells: JAM72S01-xxx/MR (xxx=365-385, in steps of 5)

72 cells: JAM72S02-xxx/MR (xxx=365-385, in steps of 5)

72 cells: JAM72S09-xxx/PR (xxx=370-405, in steps of 5)

72 cells: JAM72S12-xxx/PR (xxx=365-385, in steps of 5)

72 cells: JAM72S09-xxx/BP (xxx=375-385, in steps of 5)

60 cells: JAM60S01-xxx/SC (xxx=265-305, in steps of 5)

60 cells: JAM60S02-xxx/SC (xxx=265-305, in steps of 5)

60 cells: JAM60S01-xxx/PR (xxx=285-325, in steps of 5)

60 cells: JAM60S02-xxx/PR (xxx=285-325, in steps of 5)

60 cells: JAM60S01-xxx/MR (xxx=305-320, in steps of 5)

60 cells: JAM60S02-xxx/MR (xxx=305-320, in steps of 5)

60 cells: JAM60S09-xxx/PR (xxx=310-335, in steps of 5)

60 cells: JAM60S12-xxx/PR (xxx=305-330, in steps of 5)

60 cells: JAM60S09-xxx/BP (xxx=315-320, in steps of 5)

Maximum system voltage: 1000V or 1500V

Fuse rating: 20A

Application class: Class A

Electrical protection class: Class II

Module types:

PV Modules with 6" Mono-crystalline Silicon Solar Cells:

72 cells: JAM72S09-xxx/PR (xxx=370-405, in steps of 5)

72 cells: JAM72S12-xxx/PR (xxx=365-385, in steps of 5)

60 cells: JAM60S09-xxx/PR (xxx=310-335, in steps of 5)

60 cells: JAM60S12-xxx/PR (xxx=305-330, in steps of 5)

Maximum system voltage: 1000V or 1500V

Fuse rating: 25A

Application class: Class A

Electrical protection class: Class II



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Module types:	PV Modules with half-cut 6" Mono-crystalline Silicon Solar Cells: 72 cells: JAM72S03-xxx/PR (xxx=360-395, in steps of 5) 72 cells: JAM72S10-xxx/PR (xxx=380-410, in steps of 5) 72 cells: JAM72S17-xxx/PR (xxx=380-390, in steps of 5) 72 cells: JAM72S10-xxx/MR (xxx=390-420, in steps of 5) 72 cells: JAM72S17-xxx/MR (xxx=390-395, in steps of 5) 72 cells: JAM72S10-xxx/BP (xxx=385-400, in steps of 5) 72 cells: JAM72S10-xxx/MB (xxx=395-415, in steps of 5) 72 cells: JAM72S20-xxx/MR (xxx=430-470, in steps of 5) 72 cells: JAM72S08-xxx/PR (xxx=360-395, in steps of 5) 72 cells: JAM72S20-xxx/MB (xxx=450-465, in steps of 5) 60 cells: JAM60S03-xxx/PR (xxx=300-330, in steps of 5) 60 cells: JAM60S08-xxx/PR (xxx=300-330, in steps of 5) 60 cells: JAM60S10-xxx/PR (xxx=315-345, in steps of 5) 60 cells: JAM60S10-xxx/MR (xxx=325-345, in steps of 5) 60 cells: JAM60S10-xxx/BP (xxx=320-330, in steps of 5) 60 cells: JAM60S10-xxx/MB (xxx=330-345, in steps of 5) 60 cells: JAM60S17-xxx/PR (xxx=315-325, in steps of 5) 60 cells: JAM60S17-xxx/MR (xxx=315-335, in steps of 5) 60 cells: JAM60S20-xxx/MR (xxx=355-390, in steps of 5) 60 cells: JAM60S21-xxx/MR (xxx=355-375, in steps of 5) 60 cells: JAM60S20-xxx/MB (xxx=375-390, in steps of 5) 78 cells: JAM78S10-xxx/MR (xxx=435-465, in steps of 5) 78 cells: JAM78S10-xxx/MR-J (xxx=435-465, in steps of 5) 66 cells: JAM66S10-xxx/MR (xxx=345-390, in steps of 5)
Maximum system voltage:	1000V or 1500V
Fuse rating:	20A
Application class:	Class A
Electrical protection class:	Class II

Module types:	PV Modules with half-cut 6" Mono-crystalline Silicon Solar Cells: 72 cells: JAM72S10-xxx/PR (xxx=380-410, in steps of 5) 72 cells: JAM72S20-xxx/MR (xxx=430-470, in steps of 5) 72 cells: JAM72S17-xxx/PR (xxx=380-390, in steps of 5) 72 cells: JAM72S20-xxx/MB (xxx=450-465, in steps of 5) 60 cells: JAM60S20-xxx/MR (xxx=355-390, in steps of 5) 60 cells: JAM60S21-xxx/MR (xxx=355-375, in steps of 5) 60 cells: JAM60S10-xxx/PR (xxx=315-345, in steps of 5)
---------------	--



TÜV NORD CERT GmbH
Certification Body
Consumer Products

60 cells: JAM60S17-xxx/PR (xxx=315-325, in steps of 5)
60 cells: JAM60S20-xxx/MB (xxx=375-390, in steps of 5)

Maximum system voltage: 1000V or 1500V
Fuse rating: 25A
Application class: Class A
Electrical protection class: Class II

Module types: **PV Modules with half-cut 7" Mono-crystalline Silicon Solar Cells:**

72 cells: JAM72S30-xxx/MR (xxx=510-550, in steps of 5)
66 cells: JAM66S30-xxx/MR (xxx=470-505, in steps of 5)
60 cells: JAM60S30-xxx/MR (xxx=435-460, in steps of 5)
54 cells: JAM54S30-xxx/MR (xxx=390-415, in steps of 5)
72 cells: JAM72S31-xxx/MR (xxx=510-545, in steps of 5)
66 cells: JAM66S31-xxx/MR (xxx=470-500, in steps of 5)
60 cells: JAM60S31-xxx/MR (xxx=425-450, in steps of 5)
54 cells: JAM54S31-xxx/MR (xxx=385-405, in steps of 5)

Maximum system voltage: 1000V or 1500V
Fuse rating: 25A
Application class: Class A
Electrical protection class: Class II

Module types: **PV Modules with 1/3-cut 8" Mono-crystalline Silicon Solar Cells:**

50 cells: JAM50S40-xxx/MR (xxx=490-500, in steps of 5)

Maximum system voltage: 1000V or 1500V
Fuse rating: 20A
Application class: Class A
Electrical protection class: Class II

Module types: **PV Modules with 6" Poly-crystalline Silicon Solar Cells:**

72 cells: JAP72S01-xxx/SC (xxx=310-345, in steps of 5)
72 cells: JAP72S02-xxx/SC (xxx=310-345, in steps of 5)
72 cells: JAP72S01-xxx/PR (xxx=330-345, in steps of 5)
72 cells: JAP72S02-xxx/PR (xxx=330-345, in steps of 5)
72 cells: JAP72S09-xxx/SC (xxx=320-345, in steps of 5)
72 cells: JAP72S01-xxx/MS (xxx=325-340, in steps of 5)
60 cells: JAP60S01-xxx/SC (xxx=255-290, in steps of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

	60 cells: JAP60S02-xxx/SC (xxx=255-290, in steps of 5)
	60 cells: JAP60S01-xxx/PR (xxx=275-285, in steps of 5)
	60 cells: JAP60S02-xxx/PR (xxx=275-285, in steps of 5)
	60 cells: JAP60S09-xxx/SC (xxx=265-290, in steps of 5)
	60 cells: JAP60S01-xxx/MS (xxx=270-280, in steps of 5)
	54 cells: JAP54S01-xxx/SC (xxx=245-255, in steps of 5)
Maximum system voltage:	1000V or 1500V
Fuse rating:	20A
Application class:	Class A
Electrical protection class:	Class II

Module types:

PV Modules with half-cut 6" Poly-crystalline Silicon Solar Cells:

	72 cells: JAP72S03-xxx/PR (xxx=335-355, in steps of 5)
	72 cells: JAP72S03-xxx/SC (xxx=320-345, in steps of 5)
	72 cells: JAP72S10-xxx/SC (xxx=335-350, in steps of 5)
	72 cells: JAP72S03-xxx/MS (xxx=320-345, in steps of 5)
	72 cells: JAP72S08-xxx/SC (xxx=320-345, in steps of 5)
	72 cells: JAP72S08-xxx/PR (xxx=335-355, in steps of 5)
	60 cells: JAP60S03-xxx/PR (xxx=280-295, in steps of 5)
	60 cells: JAP60S03-xxx/SC (xxx=270-290, in steps of 5)
	60 cells: JAP60S10-xxx/SC (xxx=275-290, in steps of 5)
	60 cells: JAP60S03-xxx/MS (xxx=270-285, in steps of 5)
	60 cells: JAP60S08-xxx/SC (xxx=270-290, in steps of 5)
	60 cells: JAP60S08-xxx/PR (xxx=280-295, in steps of 5)
Maximum system voltage:	1000V or 1500V
Fuse rating:	20A
Application class:	Class A
Electrical protection class:	Class II

Remark:

For detailed product information, please refer to CDF (Constructional Data Form) in Annex 1 of test report.



TÜV NORD CERT GmbH
Certification Body
Consumer Products